

InfoPrint C2065 Printer and InfoPrint C2075 MFP

InfoPrint C2065 and InfoPrint 2075 MFP



Workgroup

Efficient color solutions for a growing business

Stand Out With In-House Color Quality

Color is an important business tool that can separate you from the competition. Effectively communicate your company's message with professional quality printouts. With large standard memory and a powerful processor. The InfoPrint® C2065 and InfoPrint C2075 MFP can streamline your workgroup's print jobs. Enjoy a first-page-out time in as fast as nine seconds, giving individuals and small workgroups the ability to produce high-quality output whenever it is needed. With 1200 Color Quality⁴ and toner specifically designed for detailed print jobs, these devices are market leaders.

Enjoy Extensive Versatility

To increase user flexibility, the InfoPrint C2065 printer and InfoPrint C2075 MFP support a variety of media types and sizes, including A3 paper. Users can produce complex documents in house to save time and money. Paper-handling options, such as duplex and high-capacity input can fulfill diverse input and output requirements.

Simplify Use With an Intuitive Operator Panel

Great print quality doesn't mean much if the printer is hard to use. The design elements of the InfoPrint C2065 printer and InfoPrint C2075 MFP include an easy-to-read LCD touch screen operator panel. Intuitive menu titles and the ability to scroll through messages help even the most inexperienced user feel comfortable. Users can walk up to the printer and put the machine to sleep when they leave the office.

HIGHLIGHTS

- Increase productivity with fast print speeds and first-page-out times
- Enjoy output flexibility and enhanced communications with ledger-size 11" x 17" print capability
- Simplify use with an easy-to-use touch screen LCD operator panel and a numeric keypad
- Use less paper with standard duplex printing
- Enhance security with user access controls, PIN-based printing and encryption
- Save energy by using the front panel sleep button and a hard power switch to power off the device
- Optimize printer settings with "Eco-mode" to help reduce energy and paper consumption, and turn on quiet mode to reduce output noise

RICOH
InfoPrint Solutions

Efficient color solutions for a growing business

Reduce Footprint, Increase Capabilities

Enjoy a low-cost A3 printer with enclosed paper drawers and a small footprint. The InfoPrint C2065 printer and InfoPrint C2075 MFP are high-performance printers ideal for small workgroups and businesses, especially those with limited space. They are color LED printers that print up to 30 pages per minute (ppm)¹ and offer a variety of resolution settings.

Boost Performance With a Hard Drive

Users can store forms, marketing materials and other documents on the hard drive and access a form or document directly from the touch screen and print it on demand. A hard drive can help process jobs faster and provides more storage for jobs and fonts. In addition, key functions supported on the InfoPrint C2065 and InfoPrint C2075 MFP are Printer Lockout and Font and Macro storage. Job Building and Scan Preview are included with the InfoPrint C2075 MFP. A hard drive is standard on the InfoPrint C2075 MFP and optional on the InfoPrint C2065.

Please Users With an Easy-To-Use Color Touch Screen

Streamline jobs and save operator time with an easy-to-use, customizable color touch screen. The integrated operator panel offers bold icons, an all-points-addressable display and “show-me” graphics and text to determine job status and enable problem correction. The integrated design provides advanced security, performance and productivity. Use the interface to open a menu, scroll through a list of values, change printer settings and respond to printer messages. In addition, the InfoPrint C2075 MFP's 10.2" Touch Panel has haptic technology. Haptics is a tactile feedback technology that takes advantage of a user's sense of touch by applying forces, vibrations, and/or motions upon the user.

Support Sustainability—It's Important

Both the InfoPrint C2065 Printer and InfoPrint C2075 MFP were developed with the environment in mind. As InfoPrint's smallest A3 machines, their small size and low weight reduce shipping energy and packaging. Users can cut paper usage in half

with the standard integrated duplex. Go a step further and use the “Eco-mode” setting, which enables duplex printing for every print job. The rapid warm-up fuser and low engine idle time reduce heat and energy consumption. And with less heat, the use of the cooling fan is minimized, making all models ENERGY STAR®-qualified.

Reduce, Return and Recycle

InfoPrint Solutions Company recognizes that environmental conservation is part of our calling as a global citizen. Reducing waste is crucial to minimizing our impact on our environment. High-yield toner cartridges can extend cartridge life span and decrease the number of cartridges manufactured, contributing less tonnage to landfills.

InfoPrint is committed to preserving natural resources through the proper handling of used printer supplies. Once a supply has reached its end of life, we encourage you to partner with us by participating in our product return programs. We are also determined to recycle supplies that cannot be reused. If a returned supply can't be reconditioned because it does not meet our high standards for quality and performance, it is then broken down into raw materials. More than 90 percent of this resultant material is recycled into new products.

Boost Office Productivity With a Color MFP

The InfoPrint C2075 MFP is the ultimate small business solution. With duplex color scanning, color faxing capability and professional color print quality, InfoPrint color MFPs can eliminate the need for expensive copiers or color printers. The InfoPrint C2065 is not upgradable to a multifunction printer.

Device Consolidation Made Easy

To support device consolidation, place an InfoPrint Color C2075 MFP in a central location to service multiple departments. By integrating an attractive InfoPrint Color MFP into your business, you can remove unnecessary single-function devices such as fax machines and ink jet printers. A wireless option makes access easier by eliminating the need for additional costly networking equipment.

Engage the Printing Experts

You can receive support when you need it from experts with comprehensive knowledge of printers, software and supplies. Same-day and next-day service offerings are available for InfoPrint Solutions Company support. Contact your local InfoPrint Solutions Company representative for availability.

For more informationContact your InfoPrint Solutions Company representative or InfoPrint Solutions Partner or visit: infoprint.com/workgroup**InfoPrint C2065 and InfoPrint C2075 MFP Specifications**

Item	Specifications	
	InfoPrint C2075 MFP	InfoPrint C2065
Models	Duplex network (dnx)	Duplex network (dnx) Duplex, tray network (dtx)
Printer specifications		
Functions	Color/mono print, Color/mono copy, Color/mono scan, and Color/mono fax	Color/mono print
Maximum speed ¹	Up to 30 ppm for letter and A4 (color/mono)	
First-page-out time ¹	As fast as 11 seconds (color) As fast as 9 seconds (monochrome)	
Processor	1.0 GHZ Power PC Processor	800 MHz Processor
Recommended monthly usage ²	5,000 - 10,000 pages	2,500 - 10,000 pages
Maximum monthly usage ³	Up to 200,000 pages	
Print resolution ⁴	1200 Color Quality 300 x 300 dpi 600 x 600 dpi	
Duplex printing	Standard	
Memory (std/max)	512 MB/1.5 GB	256 MB/1.28 GB (dnx) 1.28 GB/1.28 GB (dtx)
Flash memory	256 MB (optional)	
Hard drive	Standard 80 GB	Optional: 80 GB
Memory slots	One DRAM DIMM slot One ISP (INA) slots (Optional on the InfoPrint C2065) Two DLE Firmware Card, Font Card and Flash Memory Card slots	
Console type	Touch-sensitive graphical user interface with haptics technology plus 17 "hard" buttons and one LED. 10.2" diagonal color LCD touch screen panel. Multiple languages supported	Touch-sensitive graphical user interface with 15 "hard" buttons and one LED. 4.3" diagonal color LCD touch screen panel. Multiple languages supported

InfoPrint C2065 and InfoPrint C2075 MFP Specifications

Item	Specifications	
	InfoPrint C2075 MFP	InfoPrint C2065
Printer attachments		
Standard	10/100/1000BaseTX Gigabit Ethernet Front USB-A 2.0 High Speed host port Rear USB-B 2.0 High Speed device port Rear USB-A 2.0 High Speed host port (C2075 MFP only)	
Optional internal	IEEE 1284-B Parallel Card RS-232C Serial Card Wireless 802.11n	
Optional external	Ethernet 10Base/100BaseTX (1 USB port) Ethernet 10Base/100BaseTX (1 Parallel port) Gigabit 1000BaseTX Ethernet (4 USB port)	
USB direct interface port	The InfoPrint C2065 and InfoPrint C2075 MFP series printers can support printing the following file formats from a USB flash memory device: <ul style="list-style-type: none">■ .jpeg (or .jpg)■ .tiff (or .tif)■ .gif■ .bmp■ .png■ .pcx■ .dcx■ PDF (Version 1.6 or earlier)■ HTML■ XPS	
General specifications		
Supported environments ⁵	Microsoft® Windows® Server 2008, Server 2008 x64, Server 2003, Server 2003 x64, 7, Vista, Vista x64, XP, XP x64, 2000, Me, 98, NT® 4, Terminal Services; Citrix MetaFrame; UNIX®; Linux®; IBM AIX® Colon Files; Mac OSX; Novell; Other: virtually any platform supporting TCP/IP	
Standard data streams	PostScript® 3 emulation Hewlett-Packard Company PCL® 6 emulation XPS PPDS Migration Tool PDF v1.6 emulation HTML Direct Image	
Application solutions	Bar Code, IPDS™ and Decryption cards are available Forms and Favorites Scan to Network	Bar Code, IPDS and Decryption cards are available Forms and Favorites Eco-Settings Background and Idle Screen Showroom

For more information

Contact your InfoPrint Solutions Company representative or InfoPrint Solutions Partner or visit: infoprint.com/workgroup

InfoPrint C2065 and InfoPrint C2075 MFP Specifications

Item	Specifications	
	InfoPrint C2075 MFP	InfoPrint C2065
Paper handling⁶		
Number of standard sources	3	3 (dnx) 4 (dtx)
Optional input sources (550-sheet capacity each)	Up to 3	Up to 3 (dnx) Up to 2 (dtx)
Maximum number of input sources ⁷	6	
Input capacities (sheets)		
Standard	450 sheets	450 sheets (dnx) 1,000 sheets (dtx)
Primary drawer 1	250 sheets	
Primary drawer 2	150 sheets	
Primary drawer 3	N/A	N/A (dnx) 550 sheets (dtx)
High-capacity feeder	Not available	
Multipurpose feeder	50 sheets	
Automatic document feeder (ADF)	100 sheets	N/A
Maximum input capacity	2,100 sheets	
Output destinations		
Number (standard)	1	
Maximum number	1	
Output capacity (Standard)	250 sheets	
Output capacity (Max)	250 sheets	
Media supported – input		
Integrated tray 1	A3, A4; A5; A6; JIS-B4; JIS-B5; letter; legal; executive; folio; statement; tabloid; officio; some envelopes	
Integrated tray 2	A3, A4; A5; JIS B4; letter; legal; tabloid	
Multipurpose Feeder	A3, A4; A5; A6; JIS-B4; JIS-B5; letter; legal; executive; folio; statement; tabloid; officio; transparencies; some cardstock; some envelopes; paper labels (occasional use only)	

InfoPrint C2065 and InfoPrint C2075 MFP Specifications

Item	Specifications	
	InfoPrint C2075 MFP	InfoPrint C2065
Media supported – output		
Standard output	A3, A4; A5; A6, JIS-B4; JIS-B5; letter; legal; executive; folio; statement; tabloid; officio; transparencies; some cardstock; some envelopes; paper labels (occasional use only)	
Media weights supported description		
Integrated tray 1	16 lb. to 100 lb., depending on media (60 g/m² to 163 g/m²)	
Integrated tray 2	16 lb. to 85 lb., depending on media (60 g/m² to 157 g/m²)	
Multipurpose feeder	16 lb. to 100 lb., depending on media (60 g/m² to 163 g/m²)	
Multifunction capabilities (Applies to InfoPrint C2075 Only)		
Maximum copy speed¹	Up to 30 ppm for letter and A4 (color/mono)	N/A
Multiple copies	1 – 999	N/A
Simplex/duplex copying	Standard: 1 to 1, 1 to 2, 2 to 1, 2 to 2	N/A
Reduce/enlarge	Variable zoom from 25% to 400%	N/A
Copy quality	Overlays Paper-save functions “N-up”: 2-up portrait, 2-up landscape, 4-up portrait, 4-up landscape	N/A
Copy finishing	Advanced duplex (long edge binding or short edge binding) Copy collation (electronically collates copy output) Separator page (between pages, copies, jobs) Margin shift (provides a margin for hole punching or binding)	N/A
Scan capabilities		
Maximum scan speed¹	32 ppm (letter) 33 ppm (A4)	N/A
Maximum scan size	11.69" × 17" (296.9 × 431.8 mm) flatbed and 11.8" × 17" (299.7 mm × 431.8 mm) ADF	N/A
Maximum optical resolution	Up to 600 x 600 dpi (color and mono)	N/A
Scan file formats	PDF, JPG or JPEG, XPS, and TIFF	N/A
Scan features	Duplex scan; variable zoom from 25% to 400%; USB and TWAIN drivers; scan to USB thumb drive, scan to PC, scan to email	N/A

For more information

Contact your InfoPrint Solutions Company representative or InfoPrint Solutions Partner or visit: infoprint.com/workgroup

InfoPrint C2065 and InfoPrint C2075 MFP Specifications

Item	Specifications	
	InfoPrint C2075 MFP	InfoPrint C2065
Fax capabilities		
Maximum fax resolution	Monochrome: 600 x 600 dpi (send and receive) Color: 300 x 300 dpi (send) 400 x 400 (receive)	N/A
Modem speed	33.6 Kbps (less than 3 seconds per page)	N/A
Receive fax	Yes	N/A
Fax memory	Stored on hard drive	N/A
Fax shortcuts (a.k.a. speed dials)	500	N/A
Fax broadcast locations	400	N/A
Send hard copy fax	Flatbed or ADF	N/A
Send soft copy fax	Outbound fax is supported from some printer drivers	N/A
Memory (delayed) send	Set time and date when current job is to be faxed	N/A
Fax auto redial	Yes	N/A
Fax cover page	Yes (includes: To, From, Message, Footers, Logo and Total Pages)	N/A
Fax forwarding	Yes	N/A
Block junk fax	Yes	N/A
Key sustainability and environmental features	ENERGY STAR®-qualified "Eco-mode" saves paper and energy consumption Sleep Mode Paper saver (N-up output) Standard duplex printing Return program toner cartridges Support for recycled paper	

InfoPrint C2065 and InfoPrint C2075 MFP Specifications

Item	Specifications	
	InfoPrint C2075 MFP	InfoPrint C2065
Supply and maintenance items^a		
Toner yield ^b	Ships with: 8,500 pages monochrome and 7,500 pages color Aftermarket: 8,500 pages monochrome and 7,500 pages color	Ships with: 3,500 pages color and monochrome Aftermarket: 8,500 pages monochrome and 7,500 pages color
Imaging Units (each color)	30,000 pages	
Toner waste container	30,000 pages	
Dimensions	Width: 26.46" (672 mm) Depth: 26.3" (668 mm) Height: 30.35" (771 mm)	dnx model: Width: 24.49" (622 mm) Depth: 21.93" (557 mm) Height: 16.54" (420 mm) dtx model: Width: 24.49" (622 mm) Depth: 21.93" (557 mm) Height: 21.86" (555 mm)
Weight	Weight (unpackaged): 174.8 lb (79.3 kg)	dnx weight (unpackaged): 106.5 lb (48.3 kg) dtx weight (unpackaged): 137.3 lb (62.3 kg)
Warranty	<p>North America: One-year, 9x5 next-day on-site repair (upgrades may be available). For more information, please contact your local InfoPrint representative.</p> <p>Europe, Middle East, Africa: One-year (unless country law dictates otherwise), 9x5 next-day on-site repair (upgrades may be available). For more information, contact your local InfoPrint Representative.</p> <p>Asia Pacific: One-year, 9x5 next-day on-site repair (upgrades may be available). For more information, contact your local InfoPrint representative</p>	
What's in the box	InfoPrint C2075 MFP 8,500 page monochrome and 7,500 page color return program toner cartridges Imaging Kits (one for each color) Setup Sheet (covers network and local attachment) Safety Information Sheet InfoPrint C2075 MFP Series Software and Documentation CD Warranty Sheet/Book/CD (country dependent) Power cord(s) (country dependent) RJ-11 Phone Cable RJ-11 Phone Adapter (Country dependent)	InfoPrint C2065 3,500 page color and monochrome return program toner cartridges Imaging Kits (one for each color) Setup Sheet (covers network and local attachment) Safety Information Sheet InfoPrint C2065 Series Software and Documentation CD Warranty Sheet/Book/CD (country dependent) Power cord(s) (country dependent)

For more information

Contact your InfoPrint Solutions Company representative or InfoPrint Solutions Partner or visit: infoprint.com/workgroup

Supplies:

InfoPrint C2075 MFP printer supplies at a glance

Part number	Description	Yield ^a
39V4544	High Yield Toner Cartridge, Cyan	7,500
39V4545	High Yield Toner Cartridge, Magenta	7,500
39V4546	High Yield Toner Cartridge, Yellow	7,500
39V4547	High Yield Toner Cartridge, Black	8,500
39V4064	Imaging Unit, Cyan	30,000
39V4065	Imaging Unit, Magenta	30,000
39V4066	Imaging Unit, Yellow	30,000
39V4067	Imaging Unit, Black	30,000
39V4068	Waste Toner Container	30,000
39V4366	Fuser (LV) ^a	120,000
39V4367	Fuser (HV) ^a	120,000
39V4368	Maintenance Kit (ITU) ^a Contents: transfer belt w/2 nd roll	100,000
39V4548	ADF Pick Roll	200,000
39V4549	ADF Separator Roll	100,000

InfoPrint C2065 printer supplies at a glance

Part number	Description	Yield*
39V4060	High Yield Toner Cartridge, Cyan	7,500
39V4061	High Yield Toner Cartridge, Magenta	7,500
39V4062	High Yield Toner Cartridge, Yellow	7,500
39V4063	High Yield Toner Cartridge, Black	8,500
39V4064	Imaging Unit, Cyan	30,000
39V4065	Imaging Unit, Magenta	30,000
39V4066	Imaging Unit, Yellow	30,000
39V4067	Imaging Unit, Black	30,000
39V4068	Waste Toner Container	30,000
39V4366	Fuser (LV)*	120,000
39V4367	Fuser (HV)*	120,000
39V4368	Maintenance Kit (ITU)* Contents: transfer belt w/2 nd roll	100,000

ENDNOTES

- ¹ Exact speed varies depending on document complexity, system configuration, software application, driver and printer state.
- ² Recommended Monthly Page Volume is a range of pages that helps customers evaluate InfoPrint's product offerings based on the average number of pages customers plan to print on the device each month. InfoPrint recommends that the number of pages per month be within the stated range for optimum device performance, based on factors including: supplies replacement intervals, paper loading intervals, speed, and typical customer usage
- ³ InfoPrint Solutions Company does not recommend printing this monthly maximum on a consistent basis.
- ⁴ The Color Quality (CQ) enhancement, whether 1200, 2400, or 4800 is a special print mode designed to vary the intensity of each individual printed dot by manipulating its size to produce the appearance of greater print resolution within the limitation of a set number of dots per inch (dpi).
- ⁵ Not all versions are supported. Support for some operating Systems may require drivers downloaded from www.InfoPrint.com. Contact your sales representative for a detailed list of supported versions.
- ⁶ See user documentation for specific media types, weights, and sizes that are supported
- ⁷ Furniture may be required with additional drawers, see www.infoprint.com for additional information.
- ⁸ All maintenance supplies are customer installable. Installation services are available at InfoPrint Solutions Company's current billable service rate for this product, with a one-hour minimum. The maintenance kits must be purchased separately by the customer before contacting InfoPrint Solutions for installation.
- ⁹ Assumes five percent coverage per page. Yields are provided for planning purposes and are not a guarantee of minimum life; actual yields may vary. Actual usage should be used to establish the life of the supply product in each end user's specific application. Many factors, such as print coverage per page, paper type and size, model type and environmental conditions can affect supply life. Declared yield value in accordance with ISO/IEC 19798.
Imaging Unit maximum yield estimate based on 3 average letter/A4-size pages per print job. Actual yield may vary based on other factors such as device speed, paper size and feed orientation, toner coverage, tray source, percentage of black-only printing and average print job complexity.

© Copyright InfoPrint Solutions
Company 2011
All rights reserved

InfoPrint Solutions Company, LLC
6300 Diagonal Highway 002J
Boulder, Colorado 80301-9270
U.S.A.

Printed in the United States of America
January 2011

Ricoh, InfoPrint and the InfoPrint logo are trademarks or registered trademarks of Ricoh Co., Ltd., in Japan, the United States and other countries, and are used under license from the trademark owner.

InfoPrint Solutions is a tradename of InfoPrint Solutions Company, LLC, in the United States, other countries, or both.

These terms are trademarks or registered trademarks of Ricoh Co., Ltd., in the United States, other countries, or both: InfoPrint, IPDS.

These terms are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both: AIX, IBM.

PostScript, Postscript 3 and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

This product features Adobe® Flash® technology. For further information, visit <http://www.adobe.com/software/flash/about/>

Linux is a registered trademark of Linus Torvalds in the United States, other countries, or both.

Microsoft and Windows are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

Other company, product, or service names may be trademarks or service marks of others.

Product and services may not be available in all countries

The information in this data sheet is subject to change without notice. 01/11